TXVETS()

INNOVATIVE SOLUTIONS FOR SUSTAINABLE POWER QUALITY SINCE 1969



USTEV X E

ORTEA SPA

Via dei Chiosi, 21 20873 Cavenago di Brianza MB | ITALY tel. +39 02 95 917 800 ortea@ortea.com

WWW.ORTEANEXT.COM

ABOUT US

Founded in 1969, Ortea SpA is a leading company in manufacturing and engineering Power Quality solutions

Ortea Next offers a unique range of products and services for **Power Quality** and **Energy Efficiency** of low voltage electrical networks: Voltage stabilisers, Sag compensators, LV Transformers and Reactors, Power factor correction systems, Active harmonic filters and Energy efficiency smart devices. Beside standard production, Ortea Next can be extremely flexible in developing and manufacturing special equipment according to User's specification.



OUR BRANDS



SAG COMPENSATORS
LV TRANSFORMERS AND REACTORS



POWER FACTOR CORRECTION SYSTEMS ACTIVE HARMONIC FILTERS



ENERGY EFFICIENCY SMART DEVICES



ENERGY SAVING VOLTAGE OPTIMIZERS

QUALITY CERTIFIED

The belief that product quality and customer satisfaction are the core of a modern organisation, led to the implementation of a Certified Company Managing System

Ortea Next Integrated Managing System is approved by Lloyd's Register according to the main Standards:

- ISO9001 (Quality management systems)
- ISO14001 (Environmental management systems)
- ISO45001 (Occupational health & safety management systems).

This means that Ortea Next can ensure that its performance is optimized in terms of internal process management, commitment towards environmental issues and attention to health & safety at work within the frame of a single Managing System.

OUR MISSION

To provide a range of products and services of excellence in the field of Power Quality and Energy Efficiency

Through the synergy between its product brands Ortea, Icar, Enersolve and Powersines, Ortea Next designs, manufactures, and maintains integrated and sustainable solutions for power quality and energy efficiency.

The process of renewal and continuous improvement strengthens Ortea Next's leadership as your ideal partner to meet the challenge of the global energy transition.



GLOBAL PRESENCE

Ortea NExt is well established in the global market

Thanks to a network of offices and dealers on all Continents, Ortea products are now installed, maintained and operating in more than 100 Countries worldwide.

All the Ortea Next solutions are devised, designed

EXPERIENCE Founded in 1969, Ortea Next has accumulated


The certified Company Quality System of Ortea Next guarantees the reliability and longevity of the whole

CUSTOMIZED SOLUTIONS In addition to standard production, Ortea Next is able to develop and produce complete and integrated solutions based on the specific needs of each client

projects and study customised solutions, assisting and supporting the client at each stage of development.

Ortea Next's certified Company Quality System guarantees that all the production stages are controlled, from the verification of components to the choice of the most suitable packaging depending on the kind of transport.

collaborates with universities, institutions, and technological partners in researching and developing new products and reliable technologies.







Stable voltage supply independently from input fluctuation is one key feature to ensure electrical efficiency and reliability

The voltage stabiliser is an effective solution able to prevent potentially dangerous situations created by input voltage instability.

Voltage stabilisers continuously monitor the incoming mains supply and if the mains voltage rises or drops, they will automatically control the output voltage.

This ensures the voltage reaching the load equipment always remains constant at the required requisite voltage.

ELECTRO-MECHANICAL DIGITAL VOLTAGE STABILISERS

VEGA IN: ±15%, ±20%, ±25%, ±30%, +15%/-25%, +15%/-35%, +15%/-45% OUT: ±0.5%	Single-phase	0.3-25kVA
ANTARES IN: ±15%, ±20%, ±25%, ±30%, +15%/-25%, +15%/-35%, +15%/-45% OUT: ±0.5%	Single-phase	15-135kVA
ORION IN: ±15%, ±20%, ±25%, ±30%, +15%/-25%, +15%/-35%, +15%/-45% OUT: ±0.5%	Three-phase	2-135kVA
ORION PLUS IN: ±10%, ±15%, ±20%, ±25%, ±30%, +15%/-35%, +15%/-45% OUT: ±0.5%	Three-phase	30-2000kVA
SIRIUS IN: ±10%, ±15%, ±20%, ±25%, ±30%, +15%/-35%, +15%/-45% OUT: ±0.5%	Three-phase	60-6000kVA
SIRIUS ADVANCE IN: ±15%, ±20%, ±25%, ±30% OUT: ±0.5%	Three-phase	60-4000kVA

STATIC DIGITAL VOLTAGE STABILISERS

4-40kVA	Single-phase	GEMINI / GEMINI PLUS IN: ±15%, ±20%, ±25%, ±30% OUT: ±0.5%	
10-120kVA	Three-phase	AQUARIUS / AQUARIUS PLUS IN: ±15%, ±20%, ±25%, ±30% OUT: ±0.5%	
80-4000kVA	Three-phase	ODYSSEY IN: ±15%, ±20%, ±25%, ±30% OUT: ±0.5%	







LV TRANSFORMERS AND REACTORS

Reliability and safety, perfect for isolated neutral systems

Using first rate materials and components, ORTEA SpA designs and manufactures low voltage transformers for a diverse range of applications: Data Center, UPS, non-linear load, rectifiers, photovoltaic application etc. Transformers can either be unprotected or housed inside a metallic enclosure. Although IP21 is the standard construction, other protection degrees are available on request.

ORTEA SpA designs and produces reactors for power factor correction systems, smoothing inductors, inrush current limiting reactors etc.



Reduce voltage SAGs outage in industrial processes, especially if automated, and in tertiary sector

SAGs correction up to -50% for 1 min. Correction time: less than 3 millisecs. No battery energy storage required: compared to a UPS, Oxygen solution is specific for voltage SAGs with considerable benefits in terms of:

- · Reduced cost
- Less maintenance
- · Smaller footprint and occupied space

OXYGEN 10 - 40 IN: ±10% continuos / -40% for 1 minute OUT: ±0.5%	200-3200kVA
OXYGEN K 10-40 IN: ±10% continuos / -40% for 1 minute OUT: ±0.5%	200-2000kVA
OXYGEN 10-50 IN: ±15% continuos / -50% for 1 minute OUT: ±0.5%	200-3200kVA
OXYGEN K 10-50 IN: ±15% continuos / -50% for 1 minute OUT: ±0.5%	200-2000kVA







Eliminates harmonic currents to avoid premature aging of conductors and disturbances on sensitive loads

Loads operated by electronic devices are increasingly adopted in more and more industrial and commercial applications.

These loads generate waveform distortions of the current, that become threat for network components and more losses due to the Joule effect.

Active filters achieve higher levels of efficiency in harmonics cleaning.

ORTEA SpA proposes the ACTIVEmatic FA40 to combine a high level of efficiency with flexibility of installation.

60A to 300A units, for three-phase systems with distributed / non-distributed neutral. Possibility of operating several equipments in parallel.



Avoid excessive reactive power consumptions and relevant unnecessary waste of energy

The Electricity Authorities, force companies distributing electricity to apply financial penalties to utilities that have a substantial contractual power and low energy cos phi (generally 0,9). Economic benefits due to penalties elimination and the reduction of the "useless" inductive component of the current.

ORTEA SpA designs and manufactures power factor correction systems with or without harmonics block reactors, with standard electromechanical contactors or SCR static fast switches.

STANDARD POWER FACTOR CORRECTION

HIGH GRADIENT METALLIZED POLYPROPYLENE	FIX	AUTOMATIC
HP10 Ue 400-415V U _N 415V THDI _R ≤12% THDI _c ≤50%	10-50kvar	12-1050kvar
HP20 Ue 400-415V U _N 460V THDI _R ≤20% THDI _c ≤70%	5-50kvar	10-1080kvar
HP30 Ue 400-415V U _N 550V THDI _n ≤27% THDI _c ≤85%	5-10kvar	45-1080kvar
HIGH GRADIENT METALLIZED POLYPROPYLENE PLUS	FISSO	AUTOMATICO
VP10 Ue 400V U _N 400V THDI _R ≤27% THDI _c ≤85%	15-30kvar	22-990kvar
VP20 Ue 400-415V U _N 460V THDIn ≤27% THDIc ≤90%	5kvar	28-744kvar
POWER FACTOR CORRECTION WITH BLOCKING REACTORS		
HIGH GRADIENT METALLIZED POLYPROPYLENE	FIX	AUTOMATIC
FH20	12-75kvar	10-960kvar
FH30	5-80kvar	10-960kvar
HIGH GRADIENT METALLIZED POLYPROPYLENE PLUS	FIX	AUTOMATIC
FV25	12-50kvar	88-900kvar
$ FV25V \\ Ue\ 400V\ \ U_N\ 460V\ \ THDI_R\ 100\%\ \ I_{250Hz}\ {\le}25\%\ \ THDV_R\ {\le}8\%\ \ F_D\ 180Hz $		88-600kvar
$FV35 \\ Ue\ 400V\ \ U_N\ 550V\ \ THDI_R\ 100\%\ \ I_{250Hz}\ >25\%\ \ THDV_R\ \le 6\%\ \ F_D\ 135Hz$		60-480kvar







It saves electricity, benefits the environment as well as the company's income

One of the factors that most affect energy saving is given by the fact that electrical appliances are usually designed to operate with an input voltage included in range rather than just one nominal voltage.

Nevertheless, supplying a device a voltage higher than the rated one implies higher consumption and decrease of the expected life.

Energy efficiency improving: energy saving of between 3% and 15% on the entire energy bill, depending on the type of plant.

ESL-5 IN: +10%/-0% / OUT: ±0.5%	45-3200kVA
ESL-10 IN: ±10% / OUT: ±0.5%	45-3200kVA
ESL-20 IN: ±20% / OUT: ±0.5%	45-3200kVA







The adoption of solutions for energy savings entails significant benefits in terms of return on investment and corporate environmental sustainability

COM-EC

63-400A





General sales conditions



OUR BRANDS:



VOLTAGE STABILIZERS SAG COMPENSATORS LV TRANSFORMERS AND REACTORS



POWER FACTOR CORRECTION SYSTEMS ACTIVE HARMONIC FILTERS



ENERGY EFFICIENCY SMART DEVICES



ENERGY SAVING VOLTAGE OPTIMIZERS

CALEV X E

Innovative solutions for sustainable power quality since 1969

ORTEA SPA

Via dei Chiosi, 21 20873 Cavenago di Brianza MB | ITALY phone: +39 02 95 917 800 email: sales@ortea.com

WWW.ORTEANEXT.COM









The present document is reserved property of ORTEA SpA:

The present document is reserved properly of or Intel Sph.

tis compulsory to inform head office and ask for authorisation before proceeding with any release or reproduction.

ORTEA SpA will not be held liable or responsible in any way for unauthorised copies, alterations or additions to the text or to the illustrated parts of this document. Any modification involving company logo, certification symbols, names and official data is strictly forbidden.

In order to obtain better performance, ORTEA SpA reserves also the right to alter the products described in this document at any date and without prior notice. Technical data and descriptions do not therefore have any contractual value.